

Receiver
From

 Society
 Reference
 Address
 Phone
 Fax
 E-mail

Item n° :

60118029

Model :

EUROSWM 75 M

Pump data

 Pressure rating : 2,5 bar (250 kPa)
 Min. fluid temperature : 0 °C
 Max. fluid temperature : 60 °C
 Max. Ambient temperature : 50 °C

Requested data



 Flow : 0.00 m³/h
 Head : 0.00 m
 Fluid : Water
 Fluid Temperature : 20 °C
 Density : 0.99819 kg/dm³
 Kinematic viscosity : 1.0004 mm²/s
 Vapor pressure : 2.20 kPa

Hydraulic data (duty point)

 Flow :
 Head :

Materials

 Pump body Reinforced technopoly mer
 Impeller Reinforced technopoly mer
 Diffuser Reinforced technopoly mer
 Filter Technopoly mer
 Mechanical seal Carbon/Alumina/NBR/AISI316
 Filter cover Poly carbonate
 O-ring NBR

Curve tolerance according to ISO 9906

Weight : 12.1 kg

Motor data

 Motor brand : DAB
 Nominal power P2 : 0.5 kW
 Rated speed : 2900 1/min
 Rated voltage : 1~ 220-240 V 50 Hz
 Nominal current : 5 A
 Degree of protection : IP 55

Dimensions in mm

A	559	I	11
B	300	L	6.5
C	245		
D	257		
DNA	G2"		
DNM	G2"		
E	265		
F	220		
G	150		
H	317		
H1	222		
H2	314		

Pump connection

 Suction side : 2 " G / 2,5 bar (250 kPa)
 Discharge side : 2 " G / 2,5 bar (250 kPa)



WATER • TECHNOLOGY

PERFORMANCE CURVES

2019-10-28

Page 2 / 3

DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com


Receiver

From

Society
Reference
Address
Phone
Fax
E-mail

EUROSWIM 75 M

Curve tolerance according to ISO 9906



Hydraulic data (duty point)


Suction side : 2 " G 2,5 bar (250 kPa)	Discharge side : 2 " G 2,5 bar (250 kPa)	Flow : 0 m³/h	Head : 0 m	Rated speed : 2900 1/min
Project	Project ID	Created by	Created on 2019-10-28	

Receiver

From

Society
 Reference
 Address
 Phone
 Fax
 E-mail

EUROSWIM 75 M


Dimensions in mm

1	A	559	H1	222		
2	B	300	H2	314		
3	C	245	I	11		
4	D	257	L	6.5		
5	DNA	G2"				
6	DNM	G2"				
7	E	265				
8	F	220				
9	G	150				
10	H	317				

Pump connection

Suction
 2 " G
 2,5 bar (250 kPa)

Discharge
 2 " G
 2,5 bar (250 kPa)

Project

Project ID

Created by

Created on

2019-10-28